


INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

<p>(51) International Patent Classification⁵ : A61F 13/15</p>	<p>A1</p>	<p>(11) International Publication Number: WO 92/10984 (43) International Publication Date: 9 July 1992 (09.07.92)</p>
<p>(21) International Application Number: PCT/US91/09102 (22) International Filing Date: 10 December 1991 (10.12.91) (30) Priority data: 630,451 19 December 1990 (19.12.90) US (71) Applicant: THE PROCTER & GAMBLE COMPANY [US/US]; One Procter & Gamble Plaza, Cincinnati, OH 45202 (US). (72) Inventor: OSBORN, Thomas, Ward, III ; 400 Deanview Drive, Cincinnati, OH 45224 (US). (74) Agent: REED, T., David; The Procter & Gamble Com- pany, Ivorydale Technical Center, 5299 spring Grove Avenue, Cincinnati, OH 45217-1087 (US).</p>		<p>(81) Designated States: AT, AT (European patent), AU, BB, BE (European patent), BF (OAPI patent), BG, BJ (OAPI patent), BR, CA, CF (OAPI patent), CG (OAPI patent), CH, CH (European patent), CI (OAPI patent), CM (OAPI patent), CS, DE, DE (European patent), DK, DK (European patent), ES, ES (European patent), FI, FR (European patent), GA (OAPI patent), GB, GB (Eu- ropean patent), GN (OAPI patent), GR (European pa- tent), HU, IT (European patent), JP, KP, KR, LK, LU, LU (European patent), MC (European patent), MG, ML (OAPI patent), MN, MR (OAPI patent), MW, NL, NL (European patent), NO, PL, RO, SD, SE, SE (European patent), SN (OAPI patent), SU*, TD (OAPI patent), TG (OAPI patent). Published With international search report.</p>
<p>(54) Title: SANITARY NAPKIN HAVING TRANSVERSELY SEGMENTED CORE</p>  <p>(57) Abstract</p> <p>Disclosed is a sanitary napkin having a transversely segmented absorbent core. The core is divided into a plurality of independent segments (26') each able to move perpendicularly to the plane of the napkin without constraints from such movement imposed by adjacent segments. Each segment may be disconnected from the adjacent segment, or connected to the adjacent segment by an isthmus connection (27) registered with the longitudinal centerline of the sanitary napkin or by two isthmus connections, one registered with each longitudinal side edge of the core.</p>		

+ DESIGNATIONS OF "SU"

Any designation of "SU" has effect in the Russian Federation. It is not yet known whether any such designation has effect in other States of the former Soviet Union.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	ES	Spain	MG	Madagascar
AU	Australia	FI	Finland	ML	Mali
BB	Barbados	FR	France	MN	Mongolia
BE	Belgium	GA	Gabon	MR	Mauritania
BF	Burkina Faso	GB	United Kingdom	MW	Malawi
BG	Bulgaria	GN	Guinea	NL	Netherlands
BJ	Benin	GR	Greece	NO	Norway
BR	Brazil	HU	Hungary	PL	Poland
CA	Canada	IT	Italy	RO	Romania
CF	Central African Republic	JP	Japan	SD	Sudan
CG	Congo	KP	Democratic People's Republic of Korea	SE	Sweden
CH	Switzerland	KR	Republic of Korea	SN	Senegal
CI	Côte d'Ivoire	LI	Liechtenstein	SU+	Soviet Union
CM	Cameroon	LK	Sri Lanka	TD	Chad
CS	Czechoslovakia	LU	Luxembourg	TC	Togo
DE	Germany	MC	Monaco	US	United States of America
DK	Denmark				

SANITARY NAPKIN HAVING TRANSVERSELY SEGMENTED CORE

FIELD OF THE INVENTION

5 The present invention relates to sanitary napkins and more particularly to sanitary napkins having segmented cores adapted to better conform to the body of the wearer.

BACKGROUND OF THE INVENTION

10 The present invention relates to sanitary napkins and more particularly to the core of a sanitary napkin which is transversely segmented into a plurality of independently acting segments. Each segment is free from the constraints against movement imposed by other parts of the core, according to sanitary napkins of the prior art. The absence, and even diminution, of constraints allows each core segment to more
15 accurately, authentically, and comfortably conform to the body of the wearer.

Several attempts have been made in the art to provide a sanitary napkin which properly and advantageously conforms to the body of the wearer. For example, U.S. Patent 3,954,107 issued
20 May 4, 1976 to Chesky et al. discloses a longitudinally articulated sanitary napkin. This napkin features a pair of absorbent pads disposed side-by-side. While this arrangement may provide for good conformance of the sanitary napkin to the

right-hand and left-hand body halves of the wearer, such a structure does not provide for, nor accommodate, the front-to-back differences in the shape of the body of the wearer.

5 U.S. Patent 4,589,876 issued May 20, 1986 to Van Tilburg discloses a sanitary napkin having flaps extending from each longitudinal edge of a central absorbent pad. The flaps preferentially bend at a line of juncture between the flap and the longitudinal edge of the central absorbent pad. However, such line of juncture is also principally longitudinally oriented
10 and does not provide a means for adapting the sanitary napkin to the front-to-back differences in the shape of the body of the wearer.

U.S. Patent 4,773,905 issued September 27, 1988 to Molee et al. discloses a winged sanitary napkin having two transverse
15 hinges formed by compressed areas of the core. This arrangement alleges to allow the sanitary napkin to be readily bent about such hinges. However, because the sanitary napkin is connected by the hinges and the hinges bridge the various portions of the core of the sanitary napkin, significant and unobstructed
20 Z-direction discontinuities between various portion of the core are not feasible unless significant stresses are incurred.

Another series of patents teaches raised central sections which are somewhat adapted to conform to the genitalia of the wearer. For example, U.S. Patent 2,747,575 issued May 29, 1956,
25 to Mercer discloses a catamenial bandage having a laterally gathered body which forms a permanently maintained hump. The catamenial bandage is provided with hump retaining means, such as parallel lines of stitches, so that the hump retains its shape and is inherently form fitting to the body and comfortable. U.S.
30 Patents 4,631,062 issued December 23, 1986, to Lassen et al. and 4,673,403 issued June 16, 1987, to Lassen et al. disclose convex upwardly shaped sanitary napkin having a raised profile for disposition within the vestibule of a wearer.

U.S. Patent 4,758,240 issued July 19, 1988 to Glassman
35 discloses a sanitary napkin having a plurality of longitudinal channels and a raised central crest coincident with the longitudinal centerline of the sanitary napkin. However, one

shortcoming to all such teachings is that either the raised portion of the sanitary napkin extends throughout its entire longitudinal length, without regard to where such raised portion is most beneficial or properly needed and, such a raised portion may be undesirable in the mons region of the wearer's body.

It is an object of this invention to provide a sanitary napkin which accommodates the front-to-back differences in the shape of the body of the wearer and more accurately and comfortably fits to the body of the wearer throughout the entire longitudinal length of the sanitary napkin. It is also an object of this invention to provide a sanitary napkin which provides for Z-direction discontinuities without incurring significant stresses in adjacent portions of the core. It is also an object of this invention to provide a sanitary napkin which provides for a raised central section only in the portion of the sanitary napkin where such a section provides a benefit to the wearer.

BRIEF SUMMARY OF THE INVENTION

The present invention comprises a sanitary napkin having a longitudinal centerline, two longitudinal side margins, and two lateral side margins. The sanitary napkin has a liquid pervious topsheet and a liquid impervious backsheet at least partially peripherally joined to the topsheet. Between the topsheet and the backsheet is a transversely segmented absorbent core divided into a plurality of independent segments. Each segment is bounded by two longitudinal side edges.

The independent segments of the transversely segmented core may be, dependent upon the chosen embodiment, disconnected from the adjacent segments. Alternatively, the sanitary napkin may comprise an isthmus connection joining adjacent independent segments. Dependent upon the chosen embodiment, there may be one isthmus connection substantially registered with the longitudinal centerline of the sanitary napkin or, alternatively, two isthmus connections, each being substantially registered with the longitudinal side edge of the absorbent core.

BRIEF DESCRIPTION OF THE DRAWINGS

While the Specification concludes with claims particularly pointing out and distinctly claiming the present invention, it is believed the same will be better understood from the following description taken in conjunction with the accompanying drawings wherein like parts are given the same reference numeral, analogous parts are designated with a prime symbol, and:

Figure 1 is a plan view of a sanitary napkin according to the present invention, with the topsheet shown partially in cutaway, and having three independent, disconnected, transversely segmented core segments;

Figure 2 is a plan view of a sanitary napkin core according to the present invention having three independent segments, each joined to the adjacent segment by two isthmus connections, each isthmus connection substantially registered with a longitudinal side edge of the absorbent core;

Figure 3 is a plan view of a sanitary napkin core according to the present invention having two independent segments joined by an isthmus connection registered with the longitudinal centerline of the sanitary napkin;

Figure 4 is a plan view of a hybrid sanitary napkin core according to the present invention having three independent segments, two joined by isthmus connections registered with the longitudinal edges of the core and two joined by an isthmus connection registered with the longitudinal centerline of the sanitary napkin; and

Figure 5 is an enlarged, fragmentary vertical sectional view taken along line 5-5 of Figure 1 showing the mutually opposed co-bevelled transverse edges of the core of the sanitary napkin of Figure 1.

DETAILED DESCRIPTION OF THE INVENTION

Referring to Figure 1, in one execution, the invention comprises a sanitary napkin 20. The sanitary napkin 20 is used to collect vaginal discharges, such as menses, and to prevent

soiling of the wearer's bedding and clothing by such discharges. The sanitary napkin 20 features a liquid pervious topsheet 22, a liquid impervious backsheet 24, and an absorbent core 26 intermediate the topsheet 22 and the backsheet 24. The perimeter of the sanitary napkin 20 is defined by two longitudinal side margins 30 and two lateral side margins 32.

The sanitary napkin 20 and absorbent core 26 have a longitudinal centerline 34 which conceptually divides the sanitary napkin 20 into two substantially symmetrically opposite halves. As used herein the term "longitudinal" refers to an imaginary line, axis or direction of the sanitary napkin 20 of the absorbent core 26, which line, axis or direction is generally centered between the longitudinal side margins 30 of the absorbent core 26 and is generally aligned with the vertical plane which bisects a standing wearer into left and right body halves. The term "lateral" refers to an imaginary line, axis or direction generally orthogonal the longitudinal direction, within the plane of the sanitary napkin 20 of the absorbent core 26, and is generally sideways aligned relative to the wearer.

Examining the components of the invention in more detail, with continuing reference to Figure 1, the topsheet 22 is the component of the garment which is oriented towards and contacts the body of the wearer, and receives bodily discharges. The topsheet 22 is liquid pervious and should be flexible and nonirritating to the skin. As used herein the term "flexible" refers to materials which are compliant and readily conform to the shape of the body or respond by easily deforming in the presence of external forces. Preferably the topsheet 22 is not noisy, to provide discretion for the wearer. The topsheet 22 should be sanitary, clean in appearance and somewhat opaque to hide the bodily discharges collected in and absorbed by the core 26.

The topsheet 22 should further exhibit good strikethrough and rewet characteristics, permitting bodily discharges to rapidly penetrate the topsheet 22 to the core 26, but not flow back through the topsheet 22 to the skin of the wearer. Suitable

topsheets 22 may be made from nonwoven materials or perforated polyolefinic films.

5 The topsheet 22 has a plurality of apertures to permit liquids deposited thereon to pass through to the core 26. An apertured polyolefinic film topsheet 22 having about 5 to about 60 percent open area, typically about 25 percent open area, and a thickness of about 0.01 to about 0.05 millimeters prior to aperturing and about 0.42 to about 0.51 millimeters after aperturing is suitable.

10 If desired, the topsheet 22 may be sprayed with a surfactant to enhance liquid penetration to the core 26. The surfactant is typically nonionic and should be nonirritating to the skin. A surfactant density of about 0.01 milligrams per square centimeter of topsheet 22 area is suitable. A suitable surfactant is sold by the Glyco Chemical, Inc. of Greenwich, Connecticut as Pegosperse 200 ML.

15 A particularly suitable topsheet 22 may be made in accordance with commonly assigned U.S. Patent 4,342,314 issued August 3, 1982 to Radel et al. and commonly assigned U.S. Patent 20 4,463,045 issued July 31, 1984 to Ahr et al., which patents are incorporated herein by reference for the purpose of disclosing particularly preferred executions of liquid pervious topsheets. A topsheet 22 made of model X-3265 or model P1552 apertured formed film sold by the Tredegar Corporation of Terre Haute, Indiana has been found to work well.

25 The backsheet 24 may be any flexible, liquid resistant, preferably liquid impervious material, such as a polyolefinic film. The backsheet 24 prevents discharges collected by and contained in the sanitary napkin 20, and particularly discharges absorbed by the core 26, from escaping the sanitary napkin 20 and soiling the clothing and bedding of the wearer. Preferably the backsheet 24 is not noisy, to provide discretion for the wearer.

30 The backsheet 24 may also be impervious to malodorous gases generated by absorbed bodily discharges, so that the malodors do not escape and become noticed by the wearer. A low density polyethylene backsheet 24 about 0.01 to about 0.08 millimeters in thickness, preferably about 0.05 millimeters in thickness, has 35

been found to work well. A polyethylene film, such as is sold by the Tredegar Corporation of Terre Haute, Indiana, under model X-813 has been found particularly well suited for the backsheet 24.

5 Alternatively, the backsheet 24 may be made of a soft clothlike material which is hydrophobic relative to the topsheet 22, e.g., a polyester or polyolefinic fiber backsheet 24 works well. A particularly preferred soft, clothlike backsheet 24 material is a laminate of a polyester nonwoven material lamina
10 and a film such as described in commonly assigned U.S. Patent 4,476,180 issued October 9, 1984 to Wnuk.

 In one embodiment, the backsheet 24 is slightly larger than the topsheet 22 and the intermediate absorbent core 26. In such an embodiment, the topsheet 22 and intermediate absorbent core 26
15 are peripherally circumscribed by the backsheet 24 which has a radial margin of about 0.5 centimeters to about 1.5 centimeters, preferably about 1.0 centimeter, from the side margins of the topsheet 22. This geometry provides a marginal area of protection should the core 26 become overloaded or the sanitary
20 napkin 20 otherwise fail. In such an embodiment the backsheet 24 and flaps are preferably unitary and coextensive.

 The outwardly oriented face of the backsheet 24 may further comprise a means for attaching the sanitary napkin 20 to the undergarment of the wearer. Pressure sensitive adhesive has been
25 commonly found to work well for this purpose. Preferably a strip of longitudinally oriented adhesive provides good protection against either the front or the back of the sanitary napkin 20 becoming detached from the wearer's undergarment. The adhesive strip may be continuous or intermittent. A particularly
30 preferred arrangement utilizes two longitudinally oriented strips, one on each side of the longitudinal centerline 34.

 The topsheet 22 and the backsheet 24 are preferentially peripherally joined using known techniques, either entirely so that the entire perimeter of the sanitary napkin 20 is
35 circumscribed by such joinder or are partially peripherally joined at the perimeter. The term "joined" refers to the condition where a first member or component is affixed to a

second member or component either directly; or indirectly, where the first member or component is affixed to an intermediate member or component which in turn is affixed to the second member or component. The joined condition between the first member, or component, and the second member, or component, is intended to remain for the life of the sanitary napkin 20.

The core 26 is preferably interposed between the topsheet 22 and backsheet 24 to prevent the absorbent material of the core 26 from shredding or becoming detached while the sanitary napkin 20 is worn and to ensure proper containment of bodily discharges. This arrangement also helps to provide for a unitary assembly of the sanitary napkin.

Any joined arrangement that provides for capture of the core 26 intermediate the topsheet 22 and the backsheet 24 and a unitary assembly is suitable. Such an assembly has two mutually opposed major faces, one defined by the topsheet 22 and one defined by the backsheet 24.

The absorbent core 26 is the means for collecting and containing bodily discharges, particularly menses, deposited thereon or which otherwise traverses through the liquid permeable topsheet 22. The core 26 is the component of the sanitary napkin 20 which receives and retains the bodily discharges. The core 26 is conformable and nonirritating to the skin.

The core 26 may have a rectangular or hourglass shaped perimeter. The perimeter of the absorbent core 26 is defined by two longitudinal side edges 30' and two lateral side edges 32', which are aligned with the longitudinal and lateral side margins 30 and 32 of the sanitary napkin 20 respectively. The core 26 preferably has two opposed major faces, one oriented towards the backsheet 24 and one oriented towards the topsheet 22 and is generally planar, i.e. does not have significant variations in thickness or isolated macroscopic undulations.

Suitable materials for the core 26 include combinations of airfelt, such as cellulose wadding, and fibrated communiton pulp; layers of tissue paper; and absorbent gelling materials. If a tissue paper core 26 is selected, tissue paper made in accordance with commonly assigned U.S. Patent 4,191,609 issued

March 4, 1980 to Trokhan and incorporated herein by reference to show a particularly preferred tissue paper core construction for the sanitary napkin 20 described herein. If it is desired to incorporate absorbent gelling materials into the core 26 of the sanitary napkin 20, absorbent gelling materials made in accordance with commonly assigned U.S. Patent Re. 32,649 issued April 19, 1988 to Brandt et al., and incorporated herein by reference for showing particularly preferred absorbent gelling materials, are suitable. A suitable laminate of absorbent gelling materials and tissue may be purchased from the Grain Processing Corporation of Muscatine, Iowa under Model Number L535.

The core 26 need not have a total absorbent capacity much greater than the total amount of bodily discharges to be absorbed. The core 26 is preferably narrow and thin, to be comfortable to the wearer. For the embodiment described herein the capacity of the core 26 should be at least about 2 grams of 0.9 percent saline solution. Suitable saline solution is sold by Travenol Laboratories of Deerfield, Illinois.

The core 26 should be sized to register with the topsheet 22 and backsheet 24. For ease of manufacturing, the absorbent core 26 should be rectangularly shaped. However, the absorbent core 26 may have arcuate side edges 30' and 32', tapering inwardly as the lateral centerline is approached to provide a generally preferential shaped appearance. The absorbent core 26 may be somewhat hourglass shaped, at the expense of manufacturing difficulties, to provide a generally preferred appearance.

The sanitary napkin 20 according to this invention preferably has a caliper of less than about 4 millimeters and more preferably less than about 6 millimeters (0.24 inches), as measured with a comparator gage having an approximately 80.0 gram test weight, an approximately 10.0 gram comparator foot having a diameter of about 2.54 centimeters and a contact surface area of approximately 5.1 square centimeters. Also, the sanitary napkin 20 of the present invention should have a topsheet 22 surface area of at least about 100 square centimeters to prevent discharged liquids from missing the target area.

5 The core 26 may be joined to the backsheet 24. Joining of the core 26 to the backsheet 24 is preferentially accomplished by adhesively bonding the core 26 to the backsheet 24. Such adhesive (not shown) may be applied in any suitable spray pattern, such as a spiral or longitudinally oriented beads. The adhesive should be surfactant resistant and of low pressure sensitivity, so as not to stick to the skin of the wearer.

10 The sanitary napkin 20 may also comprise a flap (not shown) extending from a longitudinal side margin 30 of the sanitary napkin 20, and preferably one flap extending from each longitudinal side margin 30 of the sanitary napkin 20. The flaps have a proximal end 36 which is typically coincident with the juncture of attachment of the flap to the longitudinal side margin 30 of the sanitary napkin 20 or, alternatively, the
15 proximal end 36 of the flap may be joined to the sanitary napkin 20 at any other location juxtaposed with the longitudinal side margin 30. The flaps extend laterally outwardly from the sanitary napkin 20 and terminate at a distal end 38 which represents the point of the flap furthest from the longitudinal
20 axis 34 of the sanitary napkin 20.

The flaps may be comprised of an integral and contiguous extension of the topsheet 22, the backsheet 24, or a laminate of both. Alternatively, the flaps may be made of a separate and independent piece of material joined to the longitudinal side
25 margin 30 of the sanitary napkin 20. The flaps are preferably made in accordance with the teachings of commonly assigned U.S. Patents 4,589,876 issued May 20, 1986 to Van Tilburg and 4,687,478 issued August 18, 1987 to Van Tilburg.

30 The core 26 is divided into a plurality of independent segments 26'. Particularly, the segments 26' are transversely independently segmented. As used herein, segments 26' are considered to be "independent" if the segments 26' may have relative movement, in the Z-direction, without being constrained from such movement by an adjacent segment 26'. Cores 26 having
35

fold lines and score lines are not considered to have segments 26' which are "independent" because, constraint from Z-direction movement occurs across the fold line or the score line, even though the fold line or score line may act as a hinge to allow bending of the core 26 at a particular juncture. A core 26 is considered to be transversely segmented when the division between adjacent segments 26' has a vector component within the plane of the core 26 and generally orthogonal the longitudinal axis 34. As used herein, the "Z-direction" refers to the direction generally orthogonal the plane of the core 26 or sanitary napkin 20.

The core 26 may be divided into a plurality of segments 26', preferably three independent segments 26'. A three segment core 26 is desirable because the body of the wearer may be divided into three anatomically distinct shaped regions when the wearer is viewed along the longitudinal axis. From the front of the wearer's body to the back of the wearer's body, the first of the three regions may be thought of as the mons region having a compound curved convex upward shape. The second region is defined by the labia majora and resembles a W-shaped outline. The third region is determined by the gluteal groove and is generally cusp-shaped and defined by two convex upward and outwardly diverging lines. Clearly, a need exists for a sanitary napkin 20 which can adapt to these three very distinct shapes of the wearer's body.

A sanitary napkin 20 according to the present invention may comprise a core 26 having three disconnected segments 26'. Segments 26' of the core 26 are considered to the "disconnected" if the segments 26' are not directly joined to the adjacent segments 26'. However, segments 26' may be considered independent which are indirectly connected, such as through the topsheet 22, backsheet 24, or any tissue wrapping the core 26.

If a sanitary napkin 20 is provided with three segments 26', they need not be of equal length in the longitudinal direction. For example, a sanitary napkin 20 having three segments 26' with the back segment 26' being about 7.0 centimeters (2.75 inches) in longitudinal direction, the center segment 26' being about 7.0

centimeters (2.75 inches); and the front segment 26' being about 6.4 centimeters (2.5 inches) in longitudinal dimension has been found to work well.

5 The differences in longitudinal dimension between the segments 26' may be accounted for because the central segment 26' which fits the labia majora region of the wearer's body is the most critical to obtain good fit. The second most critical area to obtain good fit occurs in the back portion of the sanitary napkin 20 so that the gluteal groove is accommodated, while the
10 fit of the front of the sanitary napkin 20 to the mons region of the wearer's body is least critical.

 Referring to Figure 2, the core 26 of a sanitary napkin 20 according to the present invention may have independent but connected segments 26'. Segments 26' may be connected through an
15 isthmus connection 27. The isthmus connection 27 preferably comprises not more than about twenty percent, and preferably not more than about ten percent of the width of the core 26 of the sanitary napkin 20. As illustrated in Figure 2, the isthmus connection 27 may be disposed along the longitudinal edges 30' of
20 the core 26 of the sanitary napkin 20. Such an arrangement provides for maximum relative Z-direction displacement between adjacent segments 26' of the core 26 of the sanitary napkin 20 to occur generally coincident the longitudinal centerline 34 of the sanitary napkin 20. This arrangement is, therefore, particularly
25 desirable for obtaining good conformance of the core 26 of the sanitary napkin 20 to the vaginal opening of the wearer.

 Referring to Figure 3, if desired, the core 26 of a sanitary napkin 20 according to the present invention may comprise a plurality of two independent segments 26'. If such an
30 arrangement is selected, the division between these segments 26' should be allocated so that the back segment 26' of the core 26 of the sanitary napkin 20 comprises about twenty percent to about sixty percent of the total longitudinal dimension of the core 26 of the sanitary napkin 20. The front segment 26' of the core 26
35 may be longer than the rear segment 26', to accommodate the convex upward configurations of both the front and the center regions of the wearer's body, as described above.

Also, as illustrated by Figure 3, the isthmic connection 27 may be substantially registered with the longitudinal centerline 34 of the sanitary napkin 20. This arrangement provides the advantages that the longitudinal edges 30' of the core 26 of the sanitary napkin 20 are free and maximum Z-direction relative displacement between adjacent segments 26' of the core 26 of the sanitary napkin 20 can occur at such longitudinal edges 30'. However, while this arrangement may provide a more comfortable fit to the wearer, with less chafing against the inner thighs, maximum fit with the vaginal opening may not be obtained.

Referring to Figure 4, a hybrid sanitary napkin 20 may be made incorporating the isthmic connections 27 of both Figures 2 and 3. Such a sanitary napkin 20 has an isthmic connection 27, registered with the longitudinal centerline 34 and joining the front and center segments 26' of the core 26 of the sanitary napkin 20. This isthmic connection 27 allows the segment 26' of the core 26 registered with the more gradual convex upwardly curved shape of the mons region to have a greater radius of curvature than the segment 26' of the core 26 registered with the sharper, more concave shape of the labia majora region of the wearer's body having a lesser radius of curvature. It will be apparent to one skilled in the art that as the radius of curvature of a particular segment 26' increases, the span between the longitudinal side edges 30' of that segment 26' and between the longitudinal side edges 30' of the sanitary napkin 20 increases.

However, the isthmic connections 27 joining the rear and center segments 26' of the sanitary napkin 20 may be substantially registered with the longitudinal edges of the core 26 of the sanitary napkin 20. This arrangement allows maximum Z-direction displacement of the rear section to occur at the longitudinal centerline 34 of the sanitary napkin 20, so that the rear segment 26' may accurately and comfortably fit into the gluteal groove of the wearer.

If desired, the rear segment 26' of the core 26 may be provided with a longitudinally oriented slit (not shown) to further enhance the fit of the rear segment 26' to the wearer.

However, if a slit is provided in the rear segment 26' of the core 26 of the sanitary napkin 20, the slit should not penetrate the backsheet, otherwise leakage onto the clothing and bedding of the wearer may occur.

5 It is not necessary that the slit in the rear segment 26' of the core 26 of the sanitary napkin 20 be parallel to the longitudinal axis. Instead, the slit may be oriented within about ± 45 degrees of the longitudinal axis or resemble a V-shape having its vertex registered with the border between the rear
10 segment 26' and the adjacent segment 26' of the core 26 of the sanitary napkin 20.

Referring to Figure 5, if desired, the sanitary napkin 20 may be provided with a means to promote longitudinal movement between adjacent segments 26' of the core 26 of the sanitary
15 napkin 20. Typically, longitudinal movement between the rear and center segments 26' occurs due to forces imparted to the sanitary napkin 20, and its core 26, by body movements of the wearer, such as sitting or lying down.

One means to promote longitudinal movement between adjacent
20 segments 26' of the core is to provide the segments 26' with mutually co-bevelled edges 33. The transverse edges of the segments 26' should be mutually co-bevelled particularly if the core 26 is relatively thick. Most particularly, longitudinal movement may be more readily promoted by providing mutually
25 co-bevelled edges 33 between the rear segment 26' and the adjacent segment 26', so that the rear segment 26' may overlap the adjacent segment 26'. When the rear segment 26' overlaps and is on top of the adjacent segment, the rear segment 26' is interposed between the adjacent segment 26' and the topsheet 22.
30 Edges of the segments 26' of the core 26 are considered to be "mutually co-bevelled" if each edge has a diagonal plane, relative to the Z-direction, which is approximately mutually parallel to the diagonally opposed plane of the edge of the segment 26' of the core 26 which it faces.

35 It is particularly desirable that if mutually co-bevelled edges 33 are provided, the segments 26' are disconnected so that longitudinal movement is not hindered by the isthmus connections 27 which otherwise allow Z-directional movement.

It will be apparent to one skilled in the art that various other combinations and mutations of the foregoing embodiments may be applied by one skilled in the art, all of which are within in the spirit and scope of the appended claims.

5 For example, the borders between adjacent segments 26' need not be straight, as shown. Instead, the borders between adjacent segments 26' may be arcuate or comprise a plurality of rectilinear line segments 26' which are diagonal relative to the longitudinal axis 34 of the sanitary napkin 20.

10

15

20

25

30

35

WHAT IS CLAIMED IS:

1. A sanitary napkin having a longitudinal centerline, two longitudinal side margins and two lateral side margins, said sanitary napkin comprising a liquid pervious topsheet, a liquid impervious backsheet at least partially peripherally joined to said topsheet, and an absorbent core intermediate said topsheet and said backsheet, said sanitary napkin characterized in that said absorbent core is transversely segmented into a plurality of independent segments.

2. A sanitary napkin having a longitudinal centerline, two longitudinal side margins and two lateral side margins, said sanitary napkin comprising a liquid pervious topsheet, a liquid impervious backsheet at least partially peripherally joined to said topsheet, and an absorbent core intermediate said topsheet and said backsheet, said sanitary napkin characterized in that:

said absorbent core is transversely divided into a plurality of independent segments; and

an isthmic connection joins two adjacent independent segments of said core, said isthmic connection being substantially registered with the longitudinal centerline of said sanitary napkin.

3. A sanitary napkin having a longitudinal centerline, two longitudinal side margins and two lateral side margins, said sanitary napkin comprising a liquid pervious topsheet, a liquid impervious backsheet at least partially peripherally joined to said topsheet, and an absorbent core intermediate said topsheet and said backsheet, said absorbent core having two longitudinal side edges, said sanitary napkin characterized in that:

-17-

said absorbent core is transversely divided into a plurality of independent segments; and

two isthmic connections join two adjacent independent segments of said core, each said isthmic connection being substantially registered with a longitudinal side edge of said core.

4. A sanitary napkin according to Claims 1, 2 or 3 characterized in that said core comprises at least two, preferably three independent segments.
5. A sanitary napkin according to Claim 1 further comprising a means to promote relative longitudinal movement between adjacent segments of said core and preferably characterized in that said core segments have transverse edges and said means for promoting relative longitudinal movement between adjacent segments comprises mutually opposed co-bevelled transverse edges of said independent core segments and more preferably characterized in that one said segment of said core is a rear segment, said rear segment being adapted to longitudinally move on to the top of said adjacent segment, so that said rear segment is interposed between said adjacent segment and said topsheet.
6. A sanitary napkin according to Claim 1 characterized in that two said adjacent segments of said segmented core have substantially zero Z-direction relative displacement at the longitudinal centerline and maximum Z-direction relative displacement at the longitudinal edges of said core.
7. A sanitary napkin according to Claim 2 characterized in that two said adjacent segments of said segmented core have substantially zero Z-direction relative displacement at the longitudinal centerline and maximum Z-direction relative displacement at the longitudinal edges of said core.

-18-

8. A sanitary napkin according to Claim 1 characterized in that two said adjacent segments of said segmented core have substantially zero Z-direction relative displacement at said longitudinal side edges and maximum Z-direction relative displacement at the longitudinal centerline of said sanitary napkin.
9. A sanitary napkin according to Claim 3 characterized in that two said adjacent segments of said segmented core have substantially zero Z-direction relative displacement at said longitudinal side edges and maximum Z-direction relative displacement at the longitudinal centerline of said sanitary napkin.

2/2




Fig. 4




Fig. 5

I. CLASSIFICATION OF SUBJECT MATTER (If several classification symbols apply, indicate all) ⁶ According to International Patent Classification (IPC) or to both National Classification and IPC Int.Cl. 5 A61F13/15																	
II. FIELDS SEARCHED <div style="text-align: center; margin-top: 10px;">Minimum Documentation Searched⁷</div> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th style="width: 30%; padding: 5px;">Classification System</th> <th style="padding: 5px;">Classification Symbols</th> </tr> <tr> <td style="padding: 5px;">Int.Cl. 5</td> <td style="padding: 5px;">A61F</td> </tr> </table> <div style="text-align: center; margin-top: 10px;">Documentation Searched other than Minimum Documentation to the Extent that such Documents are Included in the Fields Searched⁸</div>			Classification System	Classification Symbols	Int.Cl. 5	A61F											
Classification System	Classification Symbols																
Int.Cl. 5	A61F																
III. DOCUMENTS CONSIDERED TO BE RELEVANT⁹ <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 10%; padding: 5px;">Category¹⁰</th> <th style="padding: 5px;">Citation of Document,¹¹ with indication, where appropriate, of the relevant passages¹²</th> <th style="width: 10%; padding: 5px;">Relevant to Claim No.¹³</th> </tr> </thead> <tbody> <tr> <td style="text-align: center; vertical-align: top; padding: 5px;">X</td> <td style="padding: 5px;"> US,A,3 071 138 (G.GARCIA) 1 January 1963 see column 1, line 41 - line 44 see column 1, line 52 - line 55; figures 1,5 --- </td> <td style="text-align: center; vertical-align: top; padding: 5px;">1,4</td> </tr> <tr> <td style="text-align: center; vertical-align: top; padding: 5px;">X</td> <td style="padding: 5px;"> GB,A,23 103 of 1914 (W.MYCROFT) 18 November 1915 see page 2, line 17 - line 30; figure 1 --- </td> <td style="text-align: center; vertical-align: top; padding: 5px;">1,4</td> </tr> <tr> <td style="text-align: center; vertical-align: top; padding: 5px;">A</td> <td style="padding: 5px;"> US,A,2 331 271 (J.E.GILCHRIST) 9 July 1938 see figure 1 --- </td> <td style="text-align: center; vertical-align: top; padding: 5px;">1,4</td> </tr> <tr> <td style="text-align: center; vertical-align: top; padding: 5px;">A</td> <td style="padding: 5px;"> US,A,4 773 905 (K.J.MOLEE AND K.B.WILSON) 27 September 1988 cited in the application see figures 1,3 --- </td> <td style="text-align: center; vertical-align: top; padding: 5px;">1,4</td> </tr> </tbody> </table>			Category ¹⁰	Citation of Document, ¹¹ with indication, where appropriate, of the relevant passages ¹²	Relevant to Claim No. ¹³	X	US,A,3 071 138 (G.GARCIA) 1 January 1963 see column 1, line 41 - line 44 see column 1, line 52 - line 55; figures 1,5 ---	1,4	X	GB,A,23 103 of 1914 (W.MYCROFT) 18 November 1915 see page 2, line 17 - line 30; figure 1 ---	1,4	A	US,A,2 331 271 (J.E.GILCHRIST) 9 July 1938 see figure 1 ---	1,4	A	US,A,4 773 905 (K.J.MOLEE AND K.B.WILSON) 27 September 1988 cited in the application see figures 1,3 ---	1,4
Category ¹⁰	Citation of Document, ¹¹ with indication, where appropriate, of the relevant passages ¹²	Relevant to Claim No. ¹³															
X	US,A,3 071 138 (G.GARCIA) 1 January 1963 see column 1, line 41 - line 44 see column 1, line 52 - line 55; figures 1,5 ---	1,4															
X	GB,A,23 103 of 1914 (W.MYCROFT) 18 November 1915 see page 2, line 17 - line 30; figure 1 ---	1,4															
A	US,A,2 331 271 (J.E.GILCHRIST) 9 July 1938 see figure 1 ---	1,4															
A	US,A,4 773 905 (K.J.MOLEE AND K.B.WILSON) 27 September 1988 cited in the application see figures 1,3 ---	1,4															
<div style="display: flex; justify-content: space-between;"> <div style="width: 48%;"> <p>¹⁰ Special categories of cited documents:</p> <p>"A" document defining the general state of the art which is not considered to be of particular relevance</p> <p>"E" earlier document but published on or after the international filing date</p> <p>"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)</p> <p>"O" document referring to an oral disclosure, use, exhibition or other means</p> <p>"P" document published prior to the international filing date but later than the priority date claimed</p> </div> <div style="width: 48%;"> <p>"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention</p> <p>"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step</p> <p>"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.</p> <p>"&" document member of the same patent family</p> </div> </div>																	
IV. CERTIFICATION <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%; padding: 5px;"> Date of the Actual Completion of the International Search <div style="text-align: center; margin-top: 10px;">07 APRIL 1992</div> </td> <td style="width: 50%; padding: 5px;"> Date of Mailing of this International Search Report <div style="text-align: center; margin-top: 10px;">23 APR 1992</div> </td> </tr> <tr> <td style="padding: 5px;"> International Searching Authority <div style="text-align: center; margin-top: 10px;">EUROPEAN PATENT OFFICE</div> </td> <td style="padding: 5px;"> Signature of Authorized Officer <div style="text-align: center; margin-top: 10px;">NICE P. <i>P.R. Nica</i></div> </td> </tr> </table>			Date of the Actual Completion of the International Search <div style="text-align: center; margin-top: 10px;">07 APRIL 1992</div>	Date of Mailing of this International Search Report <div style="text-align: center; margin-top: 10px;">23 APR 1992</div>	International Searching Authority <div style="text-align: center; margin-top: 10px;">EUROPEAN PATENT OFFICE</div>	Signature of Authorized Officer <div style="text-align: center; margin-top: 10px;">NICE P. <i>P.R. Nica</i></div>											
Date of the Actual Completion of the International Search <div style="text-align: center; margin-top: 10px;">07 APRIL 1992</div>	Date of Mailing of this International Search Report <div style="text-align: center; margin-top: 10px;">23 APR 1992</div>																
International Searching Authority <div style="text-align: center; margin-top: 10px;">EUROPEAN PATENT OFFICE</div>	Signature of Authorized Officer <div style="text-align: center; margin-top: 10px;">NICE P. <i>P.R. Nica</i></div>																

**ANNEX TO THE INTERNATIONAL SEARCH REPORT
ON INTERNATIONAL PATENT APPLICATION NO.**

US 9109102
SA 54928

This annex lists the patent family members relating to the patent documents cited in the above-mentioned international search report. The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information. 07/04/92

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US-A-3071138		None	
US-A-2331271		None	
US-A-4773905	27-09-88	AU-A- 2157988	02-03-89
		EP-A- 0304957	01-03-89
		JP-A- 1111002	27-04-89
		US-A- 4936839	26-06-90